

SECOND HOME

Second Home Studio C2071

7.46 in x 47.80 in LVT



Collection	Second Home
Style	Second Home Studio (C2071)
Product Type	LVT
Size	7.46 in x 47.80 in
Construction	Rigid Click LVT
Gauge	5 mm
Total Thickness	5 mm
Wear Layer	20 mil (0.5 mm)
Finish	M-Force™ Ultra
Edge Profile	Beveled
Installation	Click
Recommended Adhesive	None Required
Core Type	Solid Polymer Core (SPC)

Recommended Installation Methods



Brick Ashlar




Random

Colorways




Bone

Color: 817



Burlap

Color: 822



Muslin

Color: 831




Wheat

Color: 838



Fawn

Color: 848



Bark

Color: 879



Putty

Color: 939



Driftwood

Color: 948

Testing

Classification	(ASTM F3261) Class I, Type B, Embossed
Squareness	(ASTM F2421) ± 0.10 in
Size and Tolerance	(ASTM F2421) ± 0.016 in
Thickness	(ASTM F386) $\pm .005$ in
Flexibility	(ASTM F137) Passes
Dimensional Stability	(ASTM F2199) Passes
Static Load Limit	(ASTM F970) 1000 psi
Lightfastness	(ASTM F1515) Passes
Residual Indentation	(ASTM F1914) Passes
Resistance to Chemicals	(ASTM F925) Passes
Resistance to Light	(ASTM F1515) Passes
Resistance to Heat	(ASTM F1514) Passes
Radiant Flux	(ASTM E648) Class 1
Smoke Density	(ASTM E662) = 450
Wear Layer Thickness	20 mil (0.5 mm)

Sustainability

Embodied Carbon	8.24 kg CO ₂ e/m ²
Carbon Handprint	-7.01 kg CO ₂ e/m ²
Beyond Carbon Neutral	-0.321 kg CO ₂ e/m ²
EPD	Vinyl Tile EPD
Material Health	Free of Orthophthalates and Heavy Metals
MindClick Rating	Achiever

Packaging

Square Feet Per Carton	29.72
Pieces Per Carton	12
Cartons Per Pallet	50

Warranties

[Limited 20 Year M-Force Ultra Commercial Warranty](#)