

MOLVENO RESERVE

Molveno Reserve C2091

7.75 in x 59.75 in LVT




Collection	Molveno Reserve
Style	Molveno Reserve (C2091)
Product Type	LVT
Size	7.75 in x 59.75 in
Construction	Rigid Click LVT
Gauge	6 mm
Total Thickness	6 mm
Wear Layer	20 mil (0.5 mm)
Finish	M-Force™ Ultra
Surface Profile	Embossed
Edge Profile	Beveled
Installation	Click
Recommended Adhesive	None Required

Recommended Installation Methods



Brick Ashlar



Half Lap



Random


Colorways




Londra
Color: 728




Lido
Color: 731




Armi
Color: 741



Alpenrose
Color: 821



Rifugio
Color: 837



Enrosadira
Color: 842




Basso
Color: 847



Coccle
Color: 849



Charme
Color: 855



Pineta
Color: 878



Brenta
Color: 885



Bodone
Color: 921



Miravalle
Color: 932




Dolomiti
Color: 941



Zurigo
Color: 948



Bellriva
Color: 982



Miramonti
Color: 989

Testing

Classification	ASTM F1700 - Class III, Type B - Embossed
Squareness	ASTM F 2421 - Passes - ± 0.10 " max
Size and Tolerance	ASTM F2421 - Passes - ± 0.016 "/linear foot
Thickness	ASTM F386 - Passes - as specified ± 0.005 "
Flexibility	ASTM F137 - Passes - 1" mandrel
Dimensional Stability	ASTM F2199 - Passes - 0.020"/linear foot max
Residual Indentation	ASTM F1914 - Passes - Average less than 8% maximum single reading 10%
Resistance to Chemicals	ASTM F925 - Passes - No more than a slight change
Resistance to Light	ASTM F1515 - Passes - $\Delta E < 8$
Resistance to Heat	ASTM F1514 - Passes - $\Delta E < 8$
Radiant Flux	ASTM E648 - Class 1 (> 0.45 W/cm ²)
Smoke Density	ASTM E662 Part A - Less than 450
Wear Layer Thickness	20 mil (0.5 mm)
Light Reflectancy	7

Sustainability

Embodied Carbon	8.24 kg CO ₂ e/m ²
Carbon Handprint	-11.76 kg CO ₂ e/m ²
Beyond Carbon Neutral	-0.55 kg CO ₂ e/m ²
Pre-Consumer Recycled Content	15%
Mindful Materials	Participates
MindClick Rating	Leader

Country of Origin

Imported

Packaging

Square Feet Per Carton

23.7

Pieces Per Carton

7

Cartons Per Pallet

50

Warranties

[Limited 20 Year M-Force Ultra Commercial Warranty](#)