

LIVING LOCAL

Woods 2.5 C2121

7 in x 48 in LVT



Collection	Living Local
Style	Woods 2.5 (C2121)
Product Type	LVT
Size	7 in x 48 in
Construction	Commercial LVT
Total Thickness	2.5 mm
Wear Layer	20 mil (0.5mm)
Finish	M-Force™ Ultra
Surface Profile	Embossed
Edge Profile	Squared
Installation	Glue Down
Recommended Adhesive	M95.0, M99, MS160, M700 Plus, or Total Bond Adhesive


Recommended Installation Methods



Brick Ashlar



Half Lap



Herringbone



Random


Colorways




Studio
Color: 095




Bridal Veil
Color: 220




Tan Tone
Color: 812



Unicoi
Color: 822



Tellico
Color: 832




Cumberland
Color: 838



Burney
Color: 839



Bly
Color: 855



Marion
Color: 862



Roan
Color: 865



Yosemite
Color: 868



Silver
Color: 918



Tray
Color: 938



Racehorse
Color: 939



Two Tone
Color: 958



Woody
Color: 978

Testing

Classification	(ASTM F1700) Type B - Embossed
Squareness	(ASTM F 2421) ±0.10" max
Size and Tolerance	(ASTM F2421) Passes
Thickness	(ASTM F386) ±0.005"
Flexibility	(ASTM F137) Passes
Dimensional Stability	(ASTM F2199) Passes
Static Load Limit	(ASTM F970) 1000 psi
Lightfastness	(ASTM F1515) Passes
Residual Indentation	(ASTM F1914) Passes
Resistance to Chemicals	(ASTM F925) Passes
Resistance to Light	(ASTM F1515) Passes
Resistance to Heat	(ASTM F1514) Passes
Radiant Flux	(ASTM E648) Class 1
Smoke Density	(ASTM E662) =450
Wear Layer Thickness	20 mil (0.5mm)

Sustainability

EPD	Flex 2.5 LVT EPD
Country of Origin	USA

Packaging

Square Feet Per Carton	42
Pieces Per Carton	18
Cartons Per Pallet	50

Warranties

[Limited 20 Year M-Force Ultra Commercial Warranty](#)