

Large and Local Wood

Overview

Feature	Description
Collection	Large and Local
Style	Large and Local Wood (C0128)
Product Type	LVT
Size	9.25" X 59"
Construction	Commercial LVT
Gauge	4.5 mm
Total Thickness	4.5 mm
Wear Layer	20 mil (0.5mm)
Finish	M-Force™ Ultra
Surface Profile	Embossed
Edge Profile	Micro-Beveled
Installation	Glue Down
Recommended Adhesive	M95.0, M99, MS160, M700 Plus, or Total Bond Adhesive



Colorways



Unicoi

Color code: 822
Style number: C0128



Tellico

Color code: 832
Style number: C0128



Bly

Color code: 855
Style number: C0128



Roan

Color code: 865
Style number: C0128



Sumter

Color code: 888
Style number: C0128



Chattahoochee

Color code: 898
Style number: C0128

Hightower

Color code: 935
Style number: C0128



Tray

Color code: 938
Style number: C0128



Nottely

Color code: 945
Style number: C0128

Colorways



Sandhill

Color code: 948
Style number: C0128



Jarrard

Color code: 955
Style number: C0128



Cloudland

Color code: 958
Style number: C0128



Hightower

Color code: 965
Style number: C0128



Reservoir

Color code: 975
Style number: C0128



Woody

Color code: 978
Style number: C0128



Neels

Color code: 985
Style number: C0128



Damascus

Color code: 995
Style number: C0128

Testing

Feature	Description
Classification	(ASTM F1700) Class III, Type B, Embossed
Squareness	(ASTM F2421) ±0.10 in
Size and Tolerance	(ASTM F2421) ±0.016 in
Thickness	(ASTM F386) ± .005 in
Flexibility	(ASTM F137) Passes
Dimensional Stability	(ASTM F2199) Passes
Static Load Limit	(ASTM F970) 1000 psi
Residual Indentation	(ASTM F1914) Passes
Resistance to Chemicals	(ASTM F925) Passes
Resistance to Light	(ASTM F1515) Passes
Resistance to Heat	(ASTM F1514) Passes
Radiant Flux	(ASTM E648) Class 1
Smoke Density	(ASTM E662) □ 450
Wear Layer Thickness	20 mil (0.5mm)
Lightfastness	(ASTM F1515) Passes

Sustainability

Feature	Description
Embodied Carbon	6.65 kg CO2e/sq m2
Carbon Handprint	-6.98 kg CO2e/sq m2
Beyond Carbon Neutral	-0.333
EPD	Flex 4.5 LVT EPD
Material Health	Free of Orthophthalates and Heavy Metals
Specify for a Cure	Eligible
MindClick Rating	Achiever
Country of Origin	USA

Packaging

Feature	Description
Pieces per Carton	7
Weight per Piece	6.3999999999999995
Cartons Per Pallet	0
Square Feet per Carton	0
Weight per Carton	44.8

Warranties

Limited 20 Year M-Force Ultra Commercial Warranty