


# Medella

## Overview

Feature	Description
Collection	Healthy Environments Homogeneous Resilient Sheet
Style	Medella (C2048)
Product Type	Resilient Sheet
Size	6Ft 06In
Construction	Homogeneous Resilient Sheet
Gauge	2 mm
Total Thickness	2 mm
Finish	M-Force™ Ultra
Installation	Glue Down
Installation Method	Side Match
Recommended Adhesive	M95.0, MS160, or Total Bond Adhesive



## Recommended Installation Methods



Side Match

## Colorways



### Arctic

Color code: 526  
Style number: C2048



### Fresh

Color code: 535  
Style number: C2048



### Slate

Color code: 549  
Style number: C2048




### Cerulean

Color code: 566  
Style number: C2048



### Blue Sage

Color code: 649  
Style number: C2048



### Cotton

Color code: 717  
Style number: C2048

## Colorways



### Bone

Color code: 726  
Style number: C2048



### Oyster

Color code: 727  
Style number: C2048



### Cedar

Color code: 757  
Style number: C2048



### Carob

Color code: 863  
Style number: C2048



### Silver

Color code: 925  
Style number: C2048



### Pewter

Color code: 926  
Style number: C2048



### Cloud

Color code: 929  
Style number: C2048



### Fog

Color code: 945  
Style number: C2048



### Fossil

Color code: 946  
Style number: C2048



### Smoke

Color code: 959  
Style number: C2048



### Iron

Color code: 966  
Style number: C2048

## Testing

Feature	Description
Classification	(ASTM F1913) Meets or Exceeds
Thickness	(ASTM F386) ± .005 in
Flexibility	(ASTM F137) Meets
Dimensional Stability	(ASTM F2199) Passes
Static Load Limit	(ASTM F970) 0.1 mm
Residual Indentation	(ASTM F1914) 0.15 m
Resistance to Chemicals	(ASTM F925) Passes
Resistance to Light	(ASTM F1515) Passes
Resistance to Heat	(ASTM F1514) Passes
Radiant Flux	(ASTM E648) Class 1
Smoke Density	(ASTM E662) 450
Rolling Load Limit	(ASTM F2753) No Change
Lightfastness	(ASTM F1515) Passes

## Sustainability

---

Feature	Description
Embodied Carbon	9.01 kg CO <sub>2</sub> e/sq m <sup>2</sup>
Carbon Handprint	-9.46 kg CO <sub>2</sub> e/sq m <sup>2</sup>
Beyond Carbon Neutral	-0.451
EPD	Homogeneous Sheet EPD
LEED	<a href="#">Calculate LEED on Ecomedes</a>
Specify for a Cure	Eligible
Mindful Materials	Participates in Mindful Materials Library
MindClick Rating	Achiever
Country of Origin	Europe

## Warranties

---

Limited 10 Year Resilient Sheet Warranty, Limited 10 Year Under Hospital Bed Warranty using M95.0 or M99.0