


# Metal

## Overview


Feature	Description
Collection	Hot and Heavy
Style	Metal (C0059)
Product Type	LVT
Size	18" X 36"
Construction	Commercial LVT
Gauge	5 mm
Total Thickness	5 mm
Wear Layer	20 mil (0.5 mm)
Finish	M-Force™ Ultra
Surface Profile	Embossed
Edge Profile	Squared
Installation	Glue Down, Loose Lay
Installation Method	Brick Ashlar, Half Lap, Herringbone, Random
Recommended Adhesive	M95.0, M99, MS160, M700 Plus, or Total Bond Adhesive




## Recommended Installation Methods



Brick Ashlar



Half Lap



Herringbone



Random

## Colorways



### Proper Gray

Color code: 929  
Style number: C0059



### Golden Yellow

Color code: 132  
Style number: C0059



### Viva Gold

Color code: 258  
Style number: C0059



### My Precious

Color code: 268  
Style number: C0059



### Rave Red

Color code: 353  
Style number: C0059



### Vogue Violet

Color code: 464  
Style number: C0059

## Colorways



### Freshwater Blue

Color code: 525  
Style number: C0059



### Tempo Teal

Color code: 556  
Style number: C0059



### Blue Steel

Color code: 585  
Style number: C0059



### Lemon Lime

Color code: 631  
Style number: C0059



### On The Line

Color code: 859  
Style number: C0059



### So Fetch

Color code: 959  
Style number: C0059

## Testing

Feature	Description
Classification	(ASTM F1700) Class III, Type B, Embossed
Squareness	(ASTM F2421) ±0.10 in
Size and Tolerance	(ASTM F2421) ±0.016 in
Thickness	(ASTM F386) ± .005 in
Flexibility	(ASTM F137) Passes
Dimensional Stability	(ASTM F2199) Passes
Static Load Limit	(ASTM F970) 1000 psi
Residual Indentation	(ASTM F1914) Passes
Resistance to Chemicals	(ASTM F925) Passes
Resistance to Light	(ASTM F1515) Passes
Resistance to Heat	(ASTM F1514) Passes
Radiant Flux	(ASTM E648) Class 1
Smoke Density	(ASTM E662) 450
Wear Layer Thickness	20 mil (0.5 mm)
Lightfastness	(ASTM F1515) Passes

## Sustainability

Feature	Description
Embodied Carbon	11.9 kg CO2e/sq m2
Carbon Handprint	-12.5 kg CO2e/sq m2
Beyond Carbon Neutral	-0.595
EPD	EPD Vinyl Tile
Material Health	Free of Orthophthalates and Heavy Metals
LEED	<a href="#">Calculate LEED on Ecomedes</a>
Mindful Materials	Participates in Mindful Materials Library
MindClick Rating	Achiever
Country of Origin	China

## Packaging

---

Feature	Description
Pieces per Carton	4
Weight per Piece	8.34
Cartons Per Pallet	54
Square Feet per Carton	18
Weight per Carton	33.36

## Warranties

---

Limited 20 Year M-Force Ultra Commercial Warranty