

Optic Hues

Overview


Feature	Description
Collection	Living Local
Style	Optic Hues (C0178)
Product Type	LVT
Size	12" X 24"
Construction	Commercial LVT
Gauge	2.5 mm
Total Thickness	2.5 mm
Wear Layer	20 mil (0.5 mm)
Finish	M-Force™ Ultra
Surface Profile	Embossed
Edge Profile	Micro-Beveled
Installation	Glue Down
Installation Method	Brick Ashlar, Half Lap, Herringbone, Random
Recommended Adhesive	M95.0, M99, MS160, M700 Plus, or Total Bond Adhesive




Recommended Installation Methods



Brick Ashlar



Half Lap



Herringbone



Random

Colorways



Fresco

Color code: 415
Style number: C0178



Azul

Color code: 665
Style number: C0178



Indigo

Color code: 698
Style number: C0178



Verdigris

Color code: 759
Style number: C0178



Tea Tan

Color code: 810
Style number: C0178



Nuance

Color code: 820
Style number: C0178

Colorways



Ferro

Color code: 961
Style number: C0178



Moonlit

Color code: 968
Style number: C0178



Charcoal

Color code: 995
Style number: C0178



Silhouette

Color code: 997
Style number: C0178



Gravel

Color code: 932
Style number: C0178



Undertone

Color code: 938
Style number: C0178

Testing

Feature	Description
Classification	(ASTM F1700) Class III, Type B, Embossed
Squareness	(ASTM F2421) ±0.10 in
Size and Tolerance	(ASTM F2421) ±0.016 in
Thickness	(ASTM F386) ± .005 in
Flexibility	(ASTM F137) Passes
Dimensional Stability	(ASTM F2199) Passes
Static Load Limit	(ASTM F970) 1000 psi
Residual Indentation	(ASTM F1914) Passes
Resistance to Chemicals	(ASTM F925) Passes
Resistance to Light	(ASTM F1515) Passes
Resistance to Heat	(ASTM F1514) Passes
Radiant Flux	(ASTM E648) Class 1
Smoke Density	(ASTM E662) ≤ 450
Wear Layer Thickness	20 mil (0.5 mm)
Lightfastness	(ASTM F1515) Passes

Sustainability

Feature	Description
Embodied Carbon	6.41 kg CO2e/sq m2
Carbon Handprint	-6.73 kg CO2e/sq m2
Beyond Carbon Neutral	-0.321
Pre-Consumer Recycled Content	100%
EPD	Flex 2.5 LVT EPD
Material Health	Free of Orthophthalates and Heavy Metals
LEED	Calculate LEED on Ecomedes
MindClick Rating	Achiever
Country of Origin	USA

Packaging

Feature	Description
Pieces per Carton	18
Weight per Piece	1.7000000000000002
Cartons Per Pallet	60
Square Feet per Carton	36
Weight per Carton	30.6

Warranties

Limited 20 Year M-Force Ultra Commercial Warranty