


# Biotope

## Overview




Feature	Description
Collection	Above and Below
Style	Biotope (GT357)
Product Type	Carpet Tile
Size	12" X 36"
Construction	Pattern Perfect
Surface Appearance	Textured Patterned Loop
Fiber	Duracolor® Tricor Premium Nylon
Dye Method	Solution Dyed
Stain Release Technology	Permanent, Built into the Fiber
Soil Release Technology	EcoSentry Soil Protection
Backing	EcoFlex ONE
Pile Weight	23.00 oz/yd2 (780 g/m2)
Gauge	1/12 (47.00 rows per 10cm)
Stitches per Inch	9 (35.43 per 10cm)
Total Thickness	0.366" (9.3 mm)
Installation	Glue Down, FlexLok
Installation Method	Monolithic Stepping, Plank Half Lap, Basket Weave, Herringbone, Half Lap, Brick Ashlar, Random
Recommended Adhesive	Enpress, M700 Plus, FlexLok+ Tabs, Total Bond


## Recommended Installation Methods




Monolithic Stepping




Plank Half Lap




Basket Weave



Herringbone



Half Lap



Brick Ashlar




Random

## Colorways



### Indigo Milk Cap

Color code: 555  
Style number: GT357



### Fairy Inkcap

Color code: 749  
Style number: GT357



### Oak Bolete

Color code: 849  
Style number: GT357



### Mauve Parachute

Color code: 933  
Style number: GT357



### Brittle Cinder

Color code: 936  
Style number: GT357



### Blue Roundhead

Color code: 939  
Style number: GT357



### Slender Brittlelegill

Color code: 954  
Style number: GT357



### Morel

Color code: 978  
Style number: GT357

## Testing

Feature	Description
TARR Rating	Heavy
GSA Stain Release	Pass
Flammability	(ASTM E648) Class 1 - Glue Down
Static Propensity	(AATC 134) Under 3.5 KV
Smoke Density	(ASTM E662) Less than 450

## Sustainability

Feature	Description
Embodied Carbon	5.76 kg CO2e/sq m2
Carbon Handprint	-6.05 kg CO2e/sq m2
Beyond Carbon Neutral	-0.29
Total Recycled Content	74%
Pre-Consumer Recycled Content	64%
Post-Consumer Recycled Content	10%
EPD	EcoFlex ONE EPD
HPD	EcoFlex ONE HPD
Material Health	Declare Red List Free
NSF 140	<a href="#">EcoFlex ONE - NSF 140 Platinum</a>
LEED	<a href="#">Calculate LEED on Ecomedes</a>
Indoor Air Quality	GLP 1171
Specify for a Cure	Eligible
Mindful Materials	Participates
MindClick Rating	Achiever
End of Life	ReCover
Country Of Origin	USA

## Packaging

---

Feature	Description
Square Yards Per Carton	4.67
Cartons Per Pallet	44
Weight Per Carton	32.48

## Warranties

---

Lifetime Limited Carpet Tile Warranty, Lifetime Limited Duracolor Stain Warranty, Lifetime Static