Mohawk Group

COLOR STUDY

Color Study 30 BC574

12 ft Broadloom



Collection	Color Study
Style	Color Study 30 (BC574)
Product Type	Broadloom
Size	12 ft
Pattern Repeat	NONE
Construction	Tufted
Surface Appearance	Cut Pile
Fiber	ColorStrand® Nylon
Dye Method	Piece Dyed
Stain Release Technology	EcoSentry Plus Stain Protection
Soil Release Technology	EcoSentry Soil Protection
Backing	Abac - Weldlok
Tufted Pile Weight	30 oz/yd2 (1017 g/m2)
Pile Height	0.289
Gauge	1/10 (39.37 rows per 10 cm)
Stitches per Inch	10 (39.4 per 10cm)
Pile Thickness	0.289
Total Thickness	0.346 "
Density	4954
Installation	Glue Down, Double Stick, Tackless
Recommended Adhesive	NuBroadlok Premium Plus, NuBroadlok VRT, NuBroadlok Edge Sealer, NuBroadlok Moisture Proof Latex Seam Sealer

Colorways



Soft Chamois
Color: 121



Tuscan Sun
Color: 161



Pottery Clay
Color: 168



Irish Creme
Color: 258



Red Pepper
Color: 362



Vivid Carmine
Color: 363

Mohawk Group



Rich Aubergine
Color: 395



Rare Iris
Color: 494



Frosted Blueberry
Color: 545



Deep Ultramarine
Color: 575



Slated Cobalt
Color: 579



Polished Lapis
Color: 589



Precious Sapphire
Color: 595



Aqua Fresco
Color: 676



Mossy Meadow
Color: 695



Trailing Vine
Color: 696



Pebble Beach
Color: 829



Tooled Suede
Color: 858



Toasted Oak
Color: 861



Mellow Mushroom
Color: 868



Craft Paper
Color: 871



Aged Driftwood
Color: 878



Fossil Stone
Color: 879



Earth Matters
Color: 888



Burnished Copper
Color: 891



Dark Espresso
Color: 898



Silver Platinum
Color: 925



Misty Fog
Color: 935



Grey Metal
Color: 955



Mineral Grey
Color: 958



Welded Iron
Color: 969



Binary Star
Color: 975



Thunder Cloud
Color: 978



Campfire Ash
Color: 989



Iron Mountain
Color: 998



Tricon Black
Color: 999

Testing

TARR Rating	Heavy
Flammability	(ASTM E648) Class 1 - Glue Down
Static Propensity	(AATC 134) Under 3.5 KV
Smoke Density	(ASTM E662) Less than 450

Sustainability

Total Recycled Content	14.48%
Pre-Consumer Recycled Content	14.48%
EPD	Weldlok EPD
HPD	Weldlok HPD
Material Health	Declare Red List Free
NSF 140	Weldlok - NSF 140 Gold
LEED	Calculate LEED on Ecomedes
Specify for a Cure	Eligible
Mindful Materials	Participates
MindClick Rating	Leader
End of Life	ReCover
Country Of Origin	USA