Mohawk Group

ICONIC EARTH


Statement Stone BT390

24 in x 24 in Carpet Tile




Collection	Iconic Earth
Style	Statement Stone (BT390)
Product Type	Carpet Tile
Size	24 in x 24 in
Construction	Tufted
Surface Appearance	Textured Patterned Loop
Fiber	ColorStrand® Nylon
Dye Method	Solution Dyed
Stain Release Technology	EcoSentry Plus Stain Protection
Soil Release Technology	EcoSentry Soil Protection
Backing	Ecoflex Matrix
Tufted Pile Weight	16.2 oz/yd2 (542 g/m2)
Pile Height	0.068
Gauge	1/12 (47.00 rows per 10 cm)
Stitches per Inch	11.2 (44.1 per 10cm)
Pile Thickness	0.068
Density	8576
Installation	FlexLok, Glue Down
Recommended Adhesive	Enpress, M700 Plus, FlexLok+ Tabs, Total Bond


Recommended Installation Methods




Brick Ashlar



Multi Directional



Quarter Turn



Vertical Ashlar

Mohawk Group

Colorways



Rugged Range
Color: 152



Classic Ridge
Color: 358




Perfect Paths
Color: 751



Downing Stone
Color: 859




Canyon Clay
Color: 862




Wild Terrain
Color: 883



Solid Ground
Color: 955



Clean Slate
Color: 983



Daring Drift
Color: 999

Testing

TARR Rating	Heavy
Flammability	(ASTM E648) Class 1 - Glue Down
Static Propensity	(AATC 134) Under 3.5 KV
Smoke Density	(ASTM E662) Less than 450

Sustainability

Embodied Carbon	7.45 kg CO2e/m2
Carbon Handprint	-7.82 kg CO2e/m2
Beyond Carbon Neutral	-0.37 kg CO2e/m2
Total Recycled Content	41.33%
Pre-Consumer Recycled Content	41.33%
EPD	EcoFlex Matrix EPD
HPD	EcoFlex Matrix HPD
Material Health	Declare Red List Free
NSF 140	EcoFlex Matrix - NSF 140 Gold
LEED	Calculate LEED on Ecomedes
Mindful Materials	Participates
MindClick Rating	Achiever
End of Life	ReCover
Country Of Origin	USA

Packaging

Square Yards Per Carton	10.67
Pieces Per Carton	24
Cartons Per Pallet	22

Warranties

Lifetime Limited Carpet Tile Warranty

Lifetime Limited Colorfastness to Light

10 Year Limited Colorfastness to Atmospheric Contaminants

10 Year Limited Stain Warranty