

NEW BASICS III


New Basics III Tile BT400

24 in x 24 in Carpet Tile




Collection	New Basics III
Style	New Basics III Tile (BT400)
Product Type	Carpet Tile
Size	24 in x 24 in
Construction	Tufted
Surface Appearance	Textured Patterned Loop
Fiber	ColorStrand® Nylon
Dye Method	Solution Dyed
Stain Release Technology	EcoSentry Plus Stain Protection
Soil Release Technology	EcoSentry Soil Protection
Backing	Ecoflex Matrix
Tufted Pile Weight	18 oz/yd2 (610 g/m2)
Pile Height	0.114
Gauge	1/10 (39.37 rows per 10 cm)
Pile Thickness	0.114
Total Thickness	0.215 "
Installation	FlexLok
Recommended Adhesive	Enpress, M700 Plus, FlexLok+ Tabs, Total Bond


Recommended Installation Methods



Brick Ashlar



Quarter Turn




Vertical Ashlar

Colorways




Terra Clay
Color: 374




Anodized Lapis
Color: 559



Celestial
Color: 589



Blarney Stone
Color: 679



Forest
Color: 689



Carbon Char
Color: 719




Biscotti Crunch
Color: 837




Earth
Color: 879



Majolica Tin
Color: 928



Quartz
Color: 948




Smokestack
Color: 964



Steel
Color: 965



Mineralite
Color: 978



Onyx
Color: 989

Testing

TARR Rating	Heavy
Flammability	(ASTM E648) Class 1 - Glue Down
Static Propensity	(AATC 134) Under 3.5 KV
Smoke Density	(ASTM E662) Less than 450

Sustainability

Embodied Carbon	7.71 kg CO2e/m2
Carbon Handprint	-8.1 kg CO2e/m2
Beyond Carbon Neutral	-0.39 kg CO2e/m2
Total Recycled Content	41.33%
Pre-Consumer Recycled Content	41.33%
EPD	EcoFlex Matrix EPD
HPD	EcoFlex Matrix HPD
Material Health	Declare Red List Free
NSF 140	EcoFlex Matrix - NSF 140 Gold
LEED	Calculate LEED on Ecomedes
Mindful Materials	Participates

MindClick Rating	Achiever
End of Life	<u>ReCover</u>
Country Of Origin	USA

Packaging

Square Yards Per Carton	10.67
Pieces Per Carton	24
Cartons Per Pallet	22

Warranties

[Lifetime Limited Carpet Tile Warranty](#)

[Lifetime Limited Colorfastness to Light](#)

[10 Year Limited Colorfastness to Atmospheric Contaminants](#)

[10 Year Limited Stain Warranty](#)