Mohawk Group

NEW BASICS III


New Basics III Tile BT400

24 in x 24 in Carpet Tile




Collection	New Basics III
Style	New Basics III Tile (BT400)
Product Type	Carpet Tile
Size	24 in x 24 in
Construction	Tufted
Surface Appearance	Textured Patterned Loop
Fiber	ColorStrand® Nylon
Dye Method	Solution Dyed
Stain Release Technology	EcoSentry Plus Stain Protection
Soil Release Technology	EcoSentry Soil Protection
Backing	Ecoflex Matrix
Tufted Pile Weight	18 oz/yd2 (610 g/m2)
Pile Height	0.114
Gauge	1/10 (39.37 rows per 10 cm)
Stitches per Inch	7 (27.6 per 10cm)
Pile Thickness	0.114
Total Thickness	0.215 "
Installation	FlexLok, Glue Down
Recommended Adhesive	Enpress, M700 Plus, FlexLok+ Tabs, Total Bond


Recommended Installation Methods



Brick Ashlar




Quarter Turn




Vertical Ashlar

Mohawk Group

Colorways



Terra Clay
Color: 374



Anodized Lapis
Color: 559




Celestial
Color: 589



Blarney Stone
Color: 679



Forest
Color: 689



Carbon Char
Color: 719




Biscotti Crunch
Color: 837




Earth
Color: 879



Majolica Tin
Color: 928



Quartz
Color: 948



Smokestack
Color: 964



Steel
Color: 965



Mineralite
Color: 978



Onyx
Color: 989

Testing

TARR Rating	Heavy
Flammability	(ASTM E648) Class 1 - Glue Down
Static Propensity	(AATC 134) Under 3.5 KV
Smoke Density	(ASTM E662) Less than 450

Sustainability

Embodied Carbon	7.71 kg CO2e/m2
Carbon Handprint	-8.1 kg CO2e/m2
Beyond Carbon Neutral	-0.39 kg CO2e/m2
Total Recycled Content	41.33%
Pre-Consumer Recycled Content	41.33%
EPD	EcoFlex Matrix EPD
HPD	EcoFlex Matrix HPD
Material Health	Declare Red List Free
NSF 140	EcoFlex Matrix - NSF 140 Gold

LEED	Calculate LEED on Ecomedes
Mindful Materials	Participates
MindClick Rating	Achiever
End of Life	ReCover
Country Of Origin	USA

Packaging

Square Yards Per Carton	10.67
Pieces Per Carton	24
Cartons Per Pallet	22

Warranties

Lifetime Limited Carpet Tile Warranty

Lifetime Limited Colorfastness to Light

10 Year Limited Colorfastness to Atmospheric Contaminants

10 Year Limited Stain Warranty