

MINDFUL


Mindful Tile BT446

24 in x 24 in Carpet Tile




| | |
|---------------------------------|---|
| Collection | Mindful |
| Style | Mindful Tile (BT446) |
| Product Type | Carpet Tile |
| Size | 24 in x 24 in |
| Construction | Tufted |
| Surface Appearance | Textured Patterned Loop |
| Fiber | EnviroStrand™ PET |
| Dye Method | Solution Dyed |
| Stain Release Technology | Permanent, Built into Fiber |
| Soil Release Technology | EcoSentry Soil Protection |
| Backing | Ecoflex Matrix |
| Tufted Pile Weight | 14 oz/yd ² (475 g/m ²) |
| Pile Height | 0.071 |
| Gauge | 1/10 (39.37 rows per 10 cm) |
| Stitches per Inch | 10.2 (40.2 per 10cm) |
| Pile Thickness | 0.071 |
| Total Thickness | 0.172 " |
| Density | 7098 |
| Installation | FlexLok |
| Recommended Adhesive | Enpress, M700 Plus, FlexLok+ Tabs, Total Bond |


Recommended Installation Methods




Brick Ashlar



Monolithic




Quarter Turn




Vertical Ashlar

Colorways



Cobalt
Color: 589



Praline
Color: 748




Hickory
Color: 869



Pewter
Color: 949



Nickel
Color: 959



Charcoal
Color: 979

Testing

| | |
|--------------------------|---------------------------------|
| TARR Rating | Moderate |
| GSA Stain Release | Pass |
| Flammability | (ASTM E648) Class 1 - Glue Down |
| Static Propensity | (AATC 134) Under 3.5 KV |
| Smoke Density | (ASTM E662) Less than 450 |

Sustainability

| | |
|---------------------------------------|---|
| Total Recycled Content | 53.16% |
| Pre-Consumer Recycled Content | 45.26% |
| Post-Consumer Recycled Content | 7.9% |
| EPD | EcoFlex Matrix EPD |
| HPD | EcoFlex Matrix HPD |
| Material Health | Declare Red List Free |
| NSF 140 | EcoFlex Matrix - NSF 140 Gold |
| LEED | Calculate LEED on Ecomedes |
| Indoor Air Quality | GLP 100055 |
| Mindful Materials | Participates |
| MindClick Rating | Achiever |
| End of Life | ReCover |
| Country Of Origin | USA |

Packaging

| | |
|--------------------------------|-------|
| Square Yards Per Carton | 10.67 |
| Pieces Per Carton | 24 |
| Cartons Per Pallet | 22 |

Warranties

[10 Year Limited Wear Warranty](#)

[10 Year Limited Static Protection Warranty](#)

[10 Year Stain Resistance Warranty](#)

[10 Year Limited Colorfastness to Light](#)

[10 Year Limited Colorfastness to Atmospheric Contaminants](#)