

**DEXTERITY**


Statement Fabric BT448

24 in x 24 in Carpet Tile




<b>Collection</b>	Dexterity
<b>Style</b>	Statement Fabric (BT448)
<b>Product Type</b>	Carpet Tile
<b>Size</b>	24 in x 24 in
<b>Construction</b>	Tufted
<b>Surface Appearance</b>	Textured Patterned Loop
<b>Fiber</b>	EnviroStrand™ PET
<b>Dye Method</b>	Solution Dyed
<b>Soil Release Technology</b>	EcoSentry Soil Protection
<b>Backing</b>	Ecoflex Matrix
<b>Tufted Pile Weight</b>	16 oz/yd <sup>2</sup> (542 g/m <sup>2</sup> )
<b>Pile Height</b>	0.074
<b>Gauge</b>	1/12 (47.00 rows per 10 cm)
<b>Stitches per Inch</b>	11 (43.3 per 10cm)
<b>Pile Thickness</b>	0.074
<b>Density</b>	7783
<b>Installation</b>	FlexLok
<b>Recommended Adhesive</b>	Enpress, M700 Plus, FlexLok+ Tabs, Total Bond


**Recommended Installation Methods**




Brick Ashlar



Monolithic




Quarter Turn




Vertical Ashlar

**Colorways**




**Deep Navy**

Color: 559




**Beige Tone**

Color: 828




**Neutral Mix**

Color: 888




**Light Slate**

Color: 949



**Mid Grey**

Color: 978



**Dark Charcoal**

Color: 989

## Testing

<b>TARR Rating</b>	Moderate
<b>GSA Stain Release</b>	Pass
<b>Flammability</b>	(ASTM E648) Class 1 - Glue Down
<b>Static Propensity</b>	(AATC 134) Under 3.5 KV
<b>Smoke Density</b>	(ASTM E662) Less than 450

## Sustainability

<b>Total Recycled Content</b>	41.33%
<b>Pre-Consumer Recycled Content</b>	41.33%
<b>EPD</b>	<a href="#">EcoFlex Matrix EPD</a>
<b>HPD</b>	<a href="#">EcoFlex Matrix HPD</a>
<b>Material Health</b>	Declare Red List Free
<b>NSF 140</b>	<a href="#">EcoFlex Matrix - NSF 140 Gold</a>
<b>LEED</b>	<a href="#">Calculate LEED on Ecomedes</a>
<b>Indoor Air Quality</b>	GLP 100055
<b>Mindful Materials</b>	Participates
<b>MindClick Rating</b>	Achiever
<b>End of Life</b>	<a href="#">ReCover</a>
<b>Country Of Origin</b>	USA

## Packaging

<b>Square Yards Per Carton</b>	10.67
<b>Pieces Per Carton</b>	24
<b>Cartons Per Pallet</b>	22

## Warranties

[10 Year Limited Carpet Tile Warranty](#)

[10 Year Limited Static Protection Warranty](#)

[10 Year Stain Resistance Warranty](#)

[10 Year Limited Colorfastness to Light](#)

[10 Year Limited Colorfastness to Atmospheric Contaminants](#)