Mohawk Group

DEXTERITY


Interthread BT449

24 in x 24 in Carpet Tile




Collection	Dexterity
Style	Interthread (BT449)
Product Type	Carpet Tile
Size	24 in x 24 in
Construction	Tufted
Surface Appearance	Textured Patterned Loop
Fiber	EnviroStrand™ PET
Dye Method	Solution Dyed
Soil Release Technology	EcoSentry Soil Protection
Backing	Ecoflex Matrix
Tufted Pile Weight	16 oz/yd2 (542 g/m2)
Pile Height	0.085
Gauge	1/12 (47.00 rows per 10 cm)
Stitches per Inch	11 (43.3 per 10cm)
Pile Thickness	0.085
Density	6776
Installation	FlexLok, Glue Down
Recommended Adhesive	Enpress, M700 Plus, FlexLok+ Tabs, Total Bond


Recommended Installation Methods




Brick Ashlar



Monolithic



Quarter Turn




Vertical Ashlar

Colorways


Mohawk Group




Deep Navy
Color: 559




Beige Tone
Color: 828




Neutral Mix
Color: 888



Light Slate
Color: 949



Mid Grey
Color: 978



Dark Charcoal
Color: 989

Testing

TARR Rating	Moderate
GSA Stain Release	Pass
Flammability	(ASTM E648) Class 1 - Glue Down
Static Propensity	(AATC 134) Under 3.5 KV
Smoke Density	(ASTM E662) Less than 450

Sustainability

Embodied Carbon	5.12 kg CO2e/m2
Carbon Handprint	-5.38 kg CO2e/m2
Beyond Carbon Neutral	-0.26 kg CO2e/m2
Total Recycled Content	53.16%
Pre-Consumer Recycled Content	45.26%
Post-Consumer Recycled Content	7.9%
EPD	EcoFlex Matrix EPD
HPD	EcoFlex Matrix HPD
Material Health	Declare Red List Free
LEED	Calculate LEED on Ecomedes
Indoor Air Quality	GLP 100055
Mindful Materials	Participates
MindClick Rating	Achiever
End of Life	ReCover
Country Of Origin	USA

Packaging

Square Yards Per Carton	10.67
Pieces Per Carton	24
Cartons Per Pallet	22

Warranties

10 Year Limited Carpet Tile Warranty

10 Year Limited Static Protection Warranty

10 Year Stain Resistance Warranty

10 Year Limited Colorfastness to Light

10 Year Limited Colorfastness to Atmospheric Contaminants