Mohawk Group

RENEWED PATH


Renewed Path BT578

24 in x 24 in Carpet Tile



Collection	Renewed Path
Style	Renewed Path (BT578)
Product Type	Carpet Tile
Size	24 in x 24 in
Construction	Tufted
Surface Appearance	Textured Patterned Loop
Fiber	EnviroStrand™ PET
Dye Method	Solution Dyed
Stain Release Technology	Permanent, Built into Fiber
Soil Release Technology	EcoSentry Soil Protection
Backing	Ecoflex Matrix
Tufted Pile Weight	17 oz/yd2 (576 g/m2)
Pile Height	0.100
Gauge	1/12 (47.00 rows per 10 cm)
Stitches per Inch	10.6 (41.7 per 10cm)
Pile Thickness	0.100
Total Thickness	0.195 "
Density	6697
Installation	FlexLok, Glue Down
Recommended Adhesive	Enpress, M700 Plus, FlexLok+ Tabs, Total Bond

Recommended Installation Methods



Brick Ashlar | Monolithic | Multi Directional | Quarter Turn | Vertical Ashlar

Mohawk Group


Colorways



Deep Sea
Color: 559



French Roast
Color: 888



Greige
Color: 949



Iron Ore
Color: 978

Testing

TARR Rating	Moderate
Flammability	(ASTM E648) Class 1 - Glue Down
Static Propensity	(AATC 134) Under 3.5 KV
Smoke Density	(ASTM E662) Less than 450

Sustainability

Embodied Carbon	5.24 kg CO2e/m2
Carbon Handprint	-5.5 kg CO2e/m2
Beyond Carbon Neutral	-0.26 kg CO2e/m2
Total Recycled Content	53.16%
Pre-Consumer Recycled Content	45.26%
Post-Consumer Recycled Content	7.9%
EPD	EcoFlex Matrix EPD
HPD	EcoFlex Matrix HPD
Material Health	Declare Red List Free
LEED	Calculate LEED on Ecomedes
Indoor Air Quality	GLP 100055
Mindful Materials	Participates
MindClick Rating	Achiever
End of Life	ReCover
Country Of Origin	USA

Packaging

Square Yards Per Carton	10.67
Pieces Per Carton	24
Cartons Per Pallet	22

Warranties

Lifetime Limited Carpet Tile Warranty

Lifetime Limited Colorfastness to Light

10 Year Limited Colorfastness to Atmospheric Contaminants

10 Year Limited Stain Warranty