Mohawk Group

CROSSING CURRENT


Filtering Form BT583

24 in x 24 in Carpet Tile




Collection	Crossing Current
Style	Filtering Form (BT583)
Product Type	Carpet Tile
Size	24 in x 24 in
Construction	Tufted
Surface Appearance	Textured Patterned Loop
Fiber	ColorStrand® Nylon
Dye Method	Solution Dyed
Stain Release Technology	EcoSentry Plus Stain Protection
Soil Release Technology	EcoSentry Soil Protection
Backing	Ecoflex Matrix
Tufted Pile Weight	16 oz/yd2 (542 g/m2)
Pile Height	0.104
Gauge	1/12 (47.00 rows per 10cm)
Stitches per Inch	11.4 (44.9 per 10cm)
Pile Thickness	0.104
Density	5284
Installation	FlexLok, Glue Down
Recommended Adhesive	Enpress, M700 Plus, FlexLok+ Tabs, Total Bond


Recommended Installation Methods



Brick Ashlar




Multi Directional




Quarter Turn

Mohawk Group


Colorways



Jennings
Color: 589




Platte
Color: 898




Canning
Color: 975




Laurel
Color: 976




Alder
Color: 978



Firth
Color: 979



Seneca
Color: 988



Dakota
Color: 989

Testing

TARR Rating	Heavy
GSA Stain Release	Pass
Flammability	(ASTM E648) Class 1 - Glue Down
Static Propensity	(AATC 134) Under 3.5 KV
Smoke Density	(ASTM E662) Less than 450

Sustainability

Embodied Carbon	7.19 kg CO2e/m2
Carbon Handprint	-7.55 kg CO2e/m2
Beyond Carbon Neutral	-0.36 kg CO2e/m2
Total Recycled Content	41.33%
Pre-Consumer Recycled Content	41.33%
EPD	EcoFlex Matrix EPD
HPD	EcoFlex Matrix HPD
Material Health	Declare Red List Free
NSF 140	EcoFlex Matrix - NSF 140 Gold
LEED	Calculate LEED on Ecomedes
The Waterways Project	Eligible
Mindful Materials	Participates
MindClick Rating	Achiever
End of Life	ReCover

Country Of Origin	USA

Packaging

Square Yards Per Carton	10.67
Pieces Per Carton	24
Cartons Per Pallet	22

Warranties

Lifetime Limited Carpet Tile Warranty

Lifetime Limited Colorfastness to Light

10 Year Limited Colorfastness to Atmospheric Contaminants

10 Year Limited Stain Warranty