
Mohawk Group

SHAPE & FLOW


Flux Foundation BT585

24 in x 24 in Carpet Tile



Collection	Shape & Flow
Style	Flux Foundation (BT585)
Product Type	Carpet Tile
Size	24 in x 24 in
Construction	Tufted
Surface Appearance	Textured Patterned Loop
Fiber	ColorStrand® Nylon
Dye Method	Solution Dyed
Stain Release Technology	EcoSentry Plus Stain Protection
Soil Release Technology	EcoSentry Soil Protection
Backing	Ecoflex Matrix
Tufted Pile Weight	16 oz/yd2 (542 g/m2)
Pile Height	0.093
Gauge	1/12 (47.00 rows per 10 cm)
Stitches per Inch	10.5 (41.3 per 10cm)
Pile Thickness	0.093
Total Thickness	0.207 "
Density	6193
Installation	FlexLok, Glue Down
Recommended Adhesive	Enpress, M700 Plus, FlexLok+ Tabs, Total Bond

Recommended Installation Methods



Brick Ashlar | Monolithic | Multi Directional | Quarter Turn | Vertical Ashlar

Mohawk Group


Colorways




Rift
Color: 568



Hydric
Color: 569



Dredge
Color: 853



Outfall
Color: 924



Levi
Color: 957



Sediment
Color: 958



Channel
Color: 959



Gravel
Color: 989

Testing

TARR Rating	Heavy
GSA Stain Release	Pass
Flammability	(ASTM E648) Class 1 - Glue Down
Static Propensity	(AATC 134) Under 3.5 KV
Smoke Density	(ASTM E662) Less than 450

Sustainability

Embodied Carbon	7.19 kg CO2e/m2
Carbon Handprint	-7.55 kg CO2e/m2
Beyond Carbon Neutral	-0.36 kg CO2e/m2
Total Recycled Content	41.33%
Pre-Consumer Recycled Content	41.33%
EPD	EcoFlex Matrix EPD
HPD	EcoFlex Matrix HPD
Material Health	Declare Red List Free
NSF 140	EcoFlex Matrix - NSF 140 Gold
LEED	Calculate LEED on Ecomedes
Indoor Air Quality	GLP 1171
The Waterways Project	Eligible
Mindful Materials	Participates
MindClick Rating	Achiever

End of Life	ReCover
Country Of Origin	USA

Packaging

Square Yards Per Carton	10.67
Pieces Per Carton	24
Cartons Per Pallet	22

Warranties

Lifetime Limited Carpet Tile Warranty

Lifetime Limited Colorfastness to Light

10 Year Limited Colorfastness to Atmospheric Contaminants

10 Year Limited Stain Warranty