Mohawk Group

EMERGING DIRECTIONS


Linear Effect BT589

24 in x 24 in Carpet Tile




Collection	Emerging Directions
Style	Linear Effect (BT589)
Product Type	Carpet Tile
Size	24 in x 24 in
Construction	Tufted
Surface Appearance	Textured Patterned Loop
Fiber	ColorStrand® Nylon
Dye Method	Solution Dyed
Stain Release Technology	EcoSentry Plus Stain Protection
Soil Release Technology	EcoSentry Soil Protection
Backing	Ecoflex Air
Tufted Pile Weight	17 oz/yd2 (576 g/m2)
Pile Height	0.121
Gauge	1/12 (47.00 rows per 10 cm)
Stitches per Inch	13.6 (53.5 per 10cm)
Pile Thickness	0.121
Total Thickness	0.285 "
Density	5057
Installation	FlexLok, Glue Down
Recommended Adhesive	Enpress, M700 Plus, FlexLok+ Tabs, Total Bond


Recommended Installation Methods




Brick Ashlar



Monolithic



Quarter Turn



Vertical Ashlar

Mohawk Group

Colorways



Georgian Brick
Color: 257



Stonehedge
Color: 527



Lagoon
Color: 547



Harmony
Color: 557



Inky Blue
Color: 565



Olive Grove
Color: 657



Porcini
Color: 737



Fieldstone
Color: 775



Shadow Grey
Color: 868



Ebony Slate
Color: 989

Testing

TARR Rating	Heavy
Flammability	(ASTM E648) Class 1 - Glue Down
Static Propensity	(AATC 134) Under 3.5 KV
Smoke Density	(ASTM E662) Less than 450

Sustainability

Embodied Carbon	8.05 kg CO2e/m2
Carbon Handprint	-8.45 kg CO2e/m2
Beyond Carbon Neutral	-0.4 kg CO2e/m2
Total Recycled Content	52.63%
Pre-Consumer Recycled Content	44.19%
Post-Consumer Recycled Content	8.44%
EPD	0
HPD	EcoFlex AIR HPD
Material Health	Declare Red List Free
NSF 140	EcoFlex Air - NSF 140 Gold
LEED	Calculate LEED on Ecomedes
Indoor Air Quality	GLP 1171
Specify for a Cure	Eligible
Mindful Materials	Participates
MindClick Rating	Achiever

End of Life	ReCover
Country Of Origin	USA

Packaging

Square Yards Per Carton	8.00
Pieces Per Carton	18
Cartons Per Pallet	22

Warranties

Lifetime Limited Carpet Tile Warranty

Lifetime Limited Colorfastness to Light

10 Year Limited Colorfastness to Atmospheric Contaminants

10 Year Limited Stain Warranty