

RENEWED OUTLOOK


Textural Reconnect BT591

24 in x 24 in Carpet Tile




Collection	Renewed Outlook
Style	Textural Reconnect (BT591)
Product Type	Carpet Tile
Size	24 in x 24 in
Construction	Tufted
Surface Appearance	Textured Patterned Loop
Fiber	ColorStrand® Nylon
Dye Method	Solution Dyed
Stain Release Technology	EcoSentry Plus Stain Protection
Soil Release Technology	EcoSentry Soil Protection
Backing	Ecoflex Matrix
Tufted Pile Weight	15 oz/yd2 (509 g/m2)
Pile Height	0.099
Gauge	1/12 (47.00 rows per 10 cm)
Stitches per Inch	12.3 (48.4 per 10cm)
Pile Thickness	0.099
Total Thickness	0.204 "
Density	5345
Installation	FlexLok
Recommended Adhesive	Enpress, M700 Plus, FlexLok+ Tabs, Total Bond


Recommended Installation Methods




Brick Ashlar




Monolithic



Multi Directional




Quarter Turn




Vertical Ashlar


Colorways




Georgian Brick
Color: 257




Harmony
Color: 557




Inky Blue
Color: 565




Olive Grove
Color: 657



Fieldstone
Color: 775



Shadow Grey
Color: 868



Ebony Slate
Color: 989

Testing

TARR Rating	Heavy
Flammability	(ASTM E648) Class 1 - Glue Down
Static Propensity	(AATC 134) Under 3.5 KV
Smoke Density	(ASTM E662) Less than 450

Sustainability

Embodied Carbon	6.93 kg CO2e/m2
Carbon Handprint	-7.28 kg CO2e/m2
Beyond Carbon Neutral	-0.35 kg CO2e/m2
Total Recycled Content	41.33%
Pre-Consumer Recycled Content	41.33%
EPD	EcoFlex Matrix EPD
HPD	EcoFlex Matrix HPD
Material Health	Declare Red List Free
NSF 140	EcoFlex Matrix - NSF 140 Gold
LEED	Calculate LEED on Ecomedes
Indoor Air Quality	GLP 1171
Mindful Materials	Participates
MindClick Rating	Achiever
End of Life	ReCover
Country Of Origin	USA

Packaging

Square Yards Per Carton	10.67
Pieces Per Carton	24
Cartons Per Pallet	22

Warranties

[Lifetime Limited Carpet Tile Warranty](#)

[Lifetime Limited Colorfastness to Light](#)

[10 Year Limited Colorfastness to Atmospheric Contaminants](#)

[10 Year Limited Stain Warranty](#)