Mohawk Group

ADAPTIVE ALLIANCE


Mapped BT635

24 in x 24 in Carpet Tile




Collection	Adaptive Alliance
Style	Mapped (BT635)
Product Type	Carpet Tile
Size	24 in x 24 in
Construction	Tufted
Surface Appearance	Textured Patterned Cut & Loop
Fiber	ColorStrand® Nylon
Dye Method	Solution Dyed
Stain Release Technology	EcoSentry Plus Stain Protection
Soil Release Technology	EcoSentry Soil Protection
Backing	Ecoflex Air
Tufted Pile Weight	19 oz/yd2 (644 g/m2)
Pile Height	0.000
Gauge	1/12 (47.00 rows per 10cm)
Stitches per Inch	12.6 (49.6 per 10cm)
Pile Thickness	0.000
Total Thickness	.339” (8.61 mm)
Density	6,218
Installation	FlexLok, Glue Down
Recommended Adhesive	Enpress, M700 Plus, FlexLok+ Tabs, Total Bond, SimplySpray


Recommended Installation Methods




Brick Ashlar



Monolithic



Quarter Turn




Vertical Ashlar

Mohawk Group

Colorways



Blue Mist
Color: 525



Mystic Bay
Color: 548



Oakmoss
Color: 636



Honey Wheat
Color: 822



Truffle
Color: 838



Pearl Haze
Color: 934



Granite
Color: 938



London Fog
Color: 959



Midnight
Color: 985

Testing

TARR Rating	Heavy
Flammability	(ASTM E648) Class 1 Glue Down
Static Propensity	(AATC 134) Under 3.5 KV
Smoke Density	(ASTM E662) Less than 450
Light Reflectancy	18.83

Sustainability

EPD	EcoFlex AIR EPD
HPD	EcoFlex AIR HPD
NSF 140	EcoFlex Air - NSF 140 Gold
Indoor Air Quality	GLP 1171
Country Of Origin	USA

Packaging

Square Yards Per Carton	8.00
Pieces Per Carton	18
Cartons Per Pallet	22

Warranties

Lifetime Limited Carpet Tile Warranty

Lifetime Limited Colorfastness to Light

10 Year Limited Colorfastness to Atmospheric Contaminants

10 Year Limited Stain Warranty