Mohawk Group

TUFF STUFF II


First Step II GT315

24 in x 24 in Carpet Tile




Collection	Tuff Stuff II
Style	First Step II (GT315)
Product Type	Carpet Tile
Size	24 in x 24 in
Construction	Walk-Off Tile
Surface Appearance	Textured Patterned Loop
Fiber	Duracolor® Premium Nylon
Stain Release Technology	Permanent, Built into Fiber
Soil Release Technology	EcoSentry Soil Protection
Backing	Nxt Walkoff
Tufted Pile Weight	38 oz/yd2 (1288 g/m2)
Pile Height	0.203
Gauge	0
Stitches per Inch	8.5 (33.5 per 10cm)
Pile Thickness	0.203
Total Thickness	0.413 "
Density	6739
Installation	FlexLok, Glue Down
Recommended Adhesive	Enpress


Recommended Installation Methods




Brick Ashlar




Monolithic



Multi Directional



Quarter Turn



Vertical Ashlar

Colorways

Mohawk Group




Walnut

Color: 859



Cobalt

Color: 955



Iron Ore

Color: 983



Obsidian

Color: 989

Testing

TARR Rating	Severe
GSA Stain Release	Pass
Flammability	(ASTM E648) Class 1 - Glue Down
Static Propensity	(AATC 134) Under 3.5 KV
Smoke Density	(ASTM E662) Less than 450

Sustainability

Embodied Carbon	15.1 kg CO2e/m2
Carbon Handprint	-15.85 kg CO2e/m2
Beyond Carbon Neutral	-0.75 kg CO2e/m2
EPD	EcoFlex NXT EPD
HPD	EcoFlex NXT HPD
Material Health	Declare Red List Free
LEED	Calculate LEED on Ecomedes
Mindful Materials	Participates
MindClick Rating	Achiever
End of Life	ReCover
Country Of Origin	USA

Packaging

Square Yards Per Carton	6.22
Pieces Per Carton	14
Cartons Per Pallet	20

Warranties

Lifetime Limited Carpet Tile Warranty

Lifetime Limited Duracolor Stain Warranty