Mohawk Group

MULTISENSORY


Whispered Layers GT373

24 in x 24 in Carpet Tile



Collection	MultiSensory
Style	Whispered Layers (GT373)
Product Type	Carpet Tile
Size	24 in x 24 in
Construction	Tufted
Surface Appearance	Textured Patterned Loop
Fiber	Duracolor® Tricor Premium Nylon
Dye Method	Solution Dyed
Stain Release Technology	Permanent, Built into Fiber
Soil Release Technology	EcoSentry Soil Protection
Backing	Ecoflex One
Tufted Pile Weight	38 oz/yd2 (1288 g/m2)
Pile Height	0.172
Gauge	1/12 (47.00 rows per 10cm)
Stitches per Inch	9.83 (38.7 per 10cm)
Pile Thickness	0.172
Total Thickness	0.318 "
Density	7,953
Installation	FlexLok, Glue Down
Recommended Adhesive	Enpress, M700 Plus, FlexLok+ Tabs, Total Bond


Recommended Installation Methods




Brick Ashlar | Monolithic | Multi Directional | Quarter Turn | Vertical Ashlar

Mohawk Group

Colorways




Molten Sienna
Color: 242



Autumn Glow
Color: 363



Ocean Breeze
Color: 575



Woodland Hush
Color: 646



Smoked Linen
Color: 737



Driftwood Echo
Color: 827



Gilded Honey
Color: 831



Feathered Clay
Color: 848




Oud Reflection
Color: 868




Cedar Mirage
Color: 878



Wistful Mountain
Color: 929



Silken Steel
Color: 939



Echoing Granite
Color: 969



Spiced Noir
Color: 989

Testing

TARR Rating	Heavy
GSA Stain Release	Pass
Flammability	(ASTM E648) Class 1 - Glue Down
Static Propensity	(AATC 134) Under 3.5 KV
Smoke Density	(ASTM E662) Less than 450

Sustainability

Embodied Carbon	5.86 kg CO2e/m2
Carbon Handprint	-6.15 kg CO2e/m2
Beyond Carbon Neutral	-0.29 kg CO2e/m2
Total Recycled Content	72.75%
Pre-Consumer Recycled Content	63.56%
Post-Consumer Recycled Content	9.19%
EPD	EcoFlex ONE EPD

HPD	EcoFlex ONE HPD
NSF 140	EcoFlex ONE - NSF 140 Platinum
Indoor Air Quality	GLP 1171
Specify for a Cure	Eligible
Country Of Origin	USA

Packaging

Square Yards Per Carton	6.22
Pieces Per Carton	14
Cartons Per Pallet	20

Warranties

Lifetime Limited Carpet Tile Warranty

Lifetime Limited Duracolor Stain Warranty