

LEARN AND LIVE


Accredited GT431

12 in x 36 in Carpet Tile



Collection	Learn and Live
Style	Accredited (GT431)
Product Type	Carpet Tile
Size	12 in x 36 in
Construction	Tufted
Surface Appearance	Textured Patterned Loop
Fiber	Duracolor® Tricor Premium Nylon
Dye Method	Solution Dyed
Stain Release Technology	Permanent, Built into Fiber
Soil Release Technology	EcoSentry Soil Protection
Backing	Ecoflex One
Tufted Pile Weight	17 oz/yd ² (576 g/m ²)
Pile Height	0.080
Gauge	1/12 (47.00 rows per 10 cm)
Stitches per Inch	11.5 (45.3 per 10cm)
Pile Thickness	0.080
Density	7650
Installation	Glue Down, FlexLok
Recommended Adhesive	Enpress, M700 Plus, FlexLok+ Tabs, Total Bond

Recommended Installation Methods




Basket Weave




Brick Ashlar



Half Lap



Herringbone



Plank Half Lap



Random


Colorways



Masters
Color: 565



Bachelors
Color: 858



Doctorate
Color: 969

Testing

TARR Rating	Severe
GSA Stain Release	Pass
Flammability	(ASTM E648) Class 1 - Glue Down
Static Propensity	(AATC 134) Under 3.5 KV
Smoke Density	(ASTM E662) Less than 450

Sustainability

Embodied Carbon	4.72 kg CO2e/m2
Carbon Handprint	-4.96 kg CO2e/m2
Beyond Carbon Neutral	-0.24 kg CO2e/m2
Total Recycled Content	72.75%
Pre-Consumer Recycled Content	63.56%
Post-Consumer Recycled Content	9.19%
EPD	EcoFlex ONE EPD
HPD	EcoFlex ONE HPD
Material Health	Declare Red List Free
NSF 140	EcoFlex ONE - NSF 140 Platinum
LEED	Calculate LEED on Ecomedes
Mindful Materials	Participates
MindClick Rating	Achiever
End of Life	ReCover
Country Of Origin	USA

Packaging

Square Yards Per Carton	4.67
Pieces Per Carton	14
Cartons Per Pallet	44

Warranties

[Lifetime Limited Carpet Tile Warranty](#)

[Lifetime Limited Duracolor Stain Warranty](#)