Mohawk Group

ASSEMBLED THREADS


Contour Drift GT438

24 in x 24 in Carpet Tile



Collection	Assembled Threads
Style	Contour Drift (GT438)
Product Type	Carpet Tile
Size	24 in x 24 in
Construction	Pattern Perfect
Surface Appearance	Textured Patterned Cut & Loop
Fiber	Duracolor® Tricor Premium Nylon
Dye Method	Solution Dyed
Stain Release Technology	Permanent, Built into the Fiber
Soil Release Technology	EcoSentry Soil Protection
Backing	Ecoflex One
Tufted Pile Weight	28 oz/yd2 (949 g/m2)
Pile Height	0.163
Gauge	1/12 (47.00 rows per 10cm)
Stitches per Inch	11.3 (44.5 per 10cm)
Pile Thickness	0.163
Total Thickness	0.454 "
Density	7,252
Installation	FlexLok, Glue Down
Recommended Adhesive	Enpress, M700 Plus, FlexLok+ Tabs, Total Bond, SimplySpray

Recommended Installation Methods



Brick Ashlar | Monolithic | Multi Directional | Quarter Turn | Vertical Ashlar

Mohawk Group

Colorways




Pebble Stitch
Color: 738



Soft Grain
Color: 831




Fawn Felt
Color: 848




Cocoa Twill
Color: 878




Smoke Warp
Color: 928



Stone Ply
Color: 958



Slate Weft
Color: 959



Graphite Loop
Color: 989

Testing

TARR Rating	Heavy
GSA Stain Release	Pass
Flammability	(ASTM E648) Class 1 Glue Down
Static Propensity	(AATCC 134) Under 3.5 KV
Smoke Density	(ASTM E662) Less than 450
Light Reflectancy	40.09

Sustainability

EPD	EcoFlex ONE EPD
HPD	EcoFlex ONE HPD
NSF 140	EcoFlex ONE - NSF 140 Platinum
Indoor Air Quality	GLP 1171
Specify for a Cure	Eligible
End of Life	ReCover
Country Of Origin	USA

Packaging

Square Yards Per Carton	6.22
Pieces Per Carton	14
Cartons Per Pallet	20

Warranties

Lifetime Limited Carpet Tile Warranty

Lifetime Limited Duracolor Stain Warranty