Mohawk Group

ASSEMBLED THREADS

Composite Ground GT439

12 in x 36 in Carpet Tile



Collection	Assembled Threads
Style	Composite Ground (GT439)
Product Type	Carpet Tile
Size	12 in x 36 in
Construction	Pattern Perfect
Surface Appearance	Textured Patterned Cut & Loop
Fiber	Duracolor® Tricor Premium Nylon
Stain Release Technology	Permanent, Built into the Fiber
Soil Release Technology	EcoSentry Soil Protection
Backing	Ecoflex One
Tufted Pile Weight	28 oz/yd2 (949 g/m2)
Gauge	1/12 (47.00 rows per 10cm)
Stitches per Inch	11 (43.3 per 10cm)
Density	8,765
Installation	FlexLok, Glue Down
Recommended Adhesive	Enpress, M700 Plus, FlexLok+ Tabs, Total Bond, SimplySpray


Recommended Installation Methods



Brick Ashlar



Half Lap



Herringbone



Random

Colorways



Pearl Stitch
Color: 728



Oyster Stitch
Color: 748



Sand Grain
Color: 821



Russet Felt
Color: 838



Bronze Grain
Color: 841



Mocha Felt
Color: 858

Mohawk Group



Coffee Twill
Color: 868



Umber Twill
Color: 888



Mist Warp
Color: 918



Cloud Warp
Color: 938



Fossil Ply
Color: 948



Flint Weft
Color: 949



Drift Ply
Color: 968



Iron Weft
Color: 969



Ashen Loop
Color: 979



Onyx Loop
Color: 999

Testing

TARR Rating	Heavy
GSA Stain Release	Pass
Flammability	(ASTM E648) Class 1 Glue Down
Static Propensity	(AATCC 134) Under 3.5 KV
Smoke Density	(ASTM E662) Less than 450
Light Reflectancy	46.76

Sustainability

EPD	EcoFlex ONE EPD
HPD	EcoFlex ONE HPD
NSF 140	EcoFlex ONE - NSF 140 Platinum
Specify for a Cure	Eligible
End of Life	ReCover
Country Of Origin	USA

Packaging

Square Yards Per Carton	4.67
Pieces Per Carton	14
Cartons Per Pallet	44

Warranties

Lifetime Limited Carpet Tile Warranty

Lifetime Limited Duracolor Stain Warranty