


Collective Balance

Overview

Feature	Description
Collection	Restorative Insights
Style	Collective Balance (BC640)
Product Type	Broadloom
Size	12Ft 00In
Pattern Repeat	36"W X 72"L
Construction	Tufted
Surface Appearance	Textured Patterned Cut & Loop
Fiber	ColorStrand® Nylon
Dye Method	Solution Dyed
Stain Release Technology	EcoSentry Plus Stain Protection
Soil Release Technology	EcoSentry Soil Protection
Backing	Weldlok®
Pile Weight	32.00 oz/yd ² (1085 g/m ²)
Gauge	1/12 (47.00 rows per 10cm)
Stitches per Inch	10 (39.37 per 10cm)
Pile Thickness	0.343" (8.73 mm)
Total Thickness	0.415" (10.54 mm)
Density	7245
Installation	Glue Down, Double Stick, Tackless
Installation Method	Side Match
Recommended Adhesive	NuBroadlok Premium Plus, NuBroadlok VRT, NuBroadlok Edge Sealer, NuBroadlok Moisture Proof Latex Seam Sealer



Colorways



Desert Shadows

Color code: 449
Style number: BC640



Winter Solstice

Color code: 545
Style number: BC640



Twilight

Color code: 575
Style number: BC640



Garden Path

Color code: 637
Style number: BC640



Natural Linen

Color code: 737
Style number: BC640



Potters Clay

Color code: 739
Style number: BC640



Jute

Color code: 747
Style number: BC640



Silver Lining

Color code: 939
Style number: BC640



Mysterious

Color code: 957
Style number: BC640

Testing

Feature	Description
TARR Rating	Heavy
Flammability	(ASTM E648) Class 1 - Glue Down
Static Propensity	(AATC 134) Under 3.5 KV
Smoke Density	(ASTM E662) Less than 450

Sustainability

Feature	Description
Embodied Carbon	17.5 kg CO2e/sq m2
Carbon Handprint	-18.375 kg CO2e/sq m2
Beyond Carbon Neutral	-0.875
Total Recycled Content	27%
Pre-Consumer Recycled Content	27%
EPD	Weldlok EPD
HPD	Weldlok HPD
Material Health	Declare Red List Free
NSF 140	Weldlok - NSF 140 Gold
LEED	Calculate LEED on Ecomedes
Indoor Air Quality	GLP 8216
Mindful Materials	Participates
MindClick Rating	Leader
End of Life	ReCover
Country Of Origin	USA

Warranties

Lifetime Limited Wear Warranty, Lifetime Limited Colorfastness to Light, 10 Year Limited Colorfastness to Atmospheric Contaminants, 10 Year Limited Stain Warranty, Lifetime Static