

Drifted Ground

Overview

Feature	Description
Collection	Iconic Earth
Style	Drifted Ground (BT389)
Product Type	Carpet Tile
Size	12" X 36"
Construction	Tufted
Surface Appearance	Textured Patterned Loop
Fiber	ColorStrand® Nylon
Dye Method	Piece Dyed
Stain Release Technology	EcoSentry Plus Stain Protection
Soil Release Technology	EcoSentry Soil Protection
Backing	EcoFlex Matrix
Pile Weight	16.20 oz/yd ² (549 g/m ²)
Gauge	1/12 (47.00 rows per 10 cm)
Stitches per Inch	11 (43.31 per 10cm)
Total Thickness	0.317" (8.05 mm)
Density	4143
Installation	FlexLok
Installation Method	Monolithic, Half Lap, Brick Ashlar, Basket Weave, Plank Half Lap, Monolithic Stepping, Random, Herringbone
Recommended Adhesive	Enpress, M700 Plus, FlexLok+ Tabs, Total Bond



Recommended Installation Methods




Monolithic




Half Lap




Brick Ashlar



Basket Weave




Plank Half Lap



Monolithic Stepping



Random



Herringbone

Colorways



Rugged Range

Color code: 152
Style number: BT389



Classic Ridge

Color code: 358
Style number: BT389



Perfect Paths

Color code: 751
Style number: BT389



Downing Stone

Color code: 859
Style number: BT389



Canyon Clay

Color code: 862
Style number: BT389



Wild Terrain

Color code: 883
Style number: BT389



Solid Ground

Color code: 955
Style number: BT389



Clean Slate

Color code: 983
Style number: BT389



Daring Drift

Color code: 999
Style number: BT389

Testing

Feature	Description
TARR Rating	Heavy
Flammability	(ASTM E648) Class 1 - Glue Down
Static Propensity	(AATC 134) Under 3.5 KV
Smoke Density	(ASTM E662) Less than 450

Sustainability

Feature	Description
Embodied Carbon	7.19 kg CO2e/sq m2
Carbon Handprint	-7.55 kg CO2e/sq m2
Beyond Carbon Neutral	-0.36
Total Recycled Content	45%
Pre-Consumer Recycled Content	45%
EPD	EcoFlex Matrix EPD
HPD	EcoFlex Matrix HPD
Material Health	Declare Red List Free
NSF 140	EcoFlex Matrix - NSF 140 Gold
LEED	Calculate LEED on Ecomedes
Indoor Air Quality	GLP 1171
Mindful Materials	Participates
MindClick Rating	Achiever
End of Life	ReCover
Country Of Origin	USA

Packaging

Feature	Description
Square Yards Per Carton	8.00
Cartons Per Pallet	44
Weight Per Carton	28.56

Warranties

Lifetime Limited Carpet Tile Warranty, Lifetime Limited Colorfastness to Light, 10 Year Limited Colorfastness to Atmospheric Contaminants, 10 Year Limited Stain Warranty, Lifetime Static