

Driven

Overview

Feature	Description
Collection	Mass Influence
Style	Driven (BC427)
Product Type	Broadloom
Size	12Ft 00In
Pattern Repeat	18"W X 5.7"L
Construction	Tufted
Surface Appearance	Textured Patterned loop
Fiber	ColorStrand® Nylon
Dye Method	Solution Dyed / Yarn Dyed
Stain Release Technology	EcoSentry Plus Stain Protection
Soil Release Technology	EcoSentry Soil Protection
Backing	Unibond® Plus
Pile Weight	18.00 oz/yd ² (610 g/m ²)
Gauge	1/12 (47.00 rows per 10 cm)
Stitches per Inch	12.5 (49.21 per 10cm)
Pile Thickness	.108" (2.74 mm)
Total Thickness	0.271" (6.88 mm)
Density	6000
Installation	Glue Down, Double Stick, Tackless
Installation Method	Side Match
Recommended Adhesive	NuBroadlok Premium Plus, NuBroadlok VRT, NuBroadlok Edge Sealer, NuBroadlok Moisture Proof Latex Seam Sealer



Colorways



Jubilee

Color code: 358
Style number: BC427



Malabar

Color code: 859
Style number: BC427



Antler

Color code: 862
Style number: BC427




Cocoon

Color code: 883
Style number: BC427



Fenland

Color code: 884
Style number: BC427



Peppercorn

Color code: 955
Style number: BC427



Krypton

Color code: 983
Style number: BC427



Distance

Color code: 999
Style number: BC427

Testing

Feature	Description
TARR Rating	Heavy
Flammability	(ASTM E648) Class 1 - Glue Down
Static Propensity	(AATC 134) Under 3.5 KV
Smoke Density	(ASTM E662) Less than 450

Sustainability

Feature	Description
Embodied Carbon	14.9 kg CO2e/sq m2
Carbon Handprint	-15.645 kg CO2e/sq m2
Beyond Carbon Neutral	-0.745
Total Recycled Content	31%
Pre-Consumer Recycled Content	52%
EPD	Unibond Plus EPD
HPD	HPD 2.1 Unibond Plus - 1000 ppm
Material Health	Declare Red List Free
NSF 140	Unibond Plus - NSF 140 Gold
LEED	Calculate LEED on Ecomedes
Indoor Air Quality	GLP 3802
Mindful Materials	Participates in Mindful Materials Library
MindClick Rating	Leader
Country Of Origin	USA

Warranties

Lifetime Limited Unibond® Plus Warranty, Lifetime Static