


# Framed Structure

## Overview

Feature	Description
Collection	Sketch Effect
Style	Framed Structure (BT436)
Product Type	Carpet Tile
Size	24" X 24"
Construction	Tufted
Surface Appearance	Textured Patterned Loop
Fiber	ColorStrand® Nylon
Dye Method	Solution Dyed
Stain Release Technology	EcoSentry Plus Stain Protection
Soil Release Technology	EcoSentry Soil Protection
Backing	EcoFlex Matrix, EcoFlex AIR
Pile Weight	15.00 oz/yd2 (509 g/m2)
Gauge	1/12 (47.00 rows per 10 cm)
Stitches per Inch	11 (43.31 per 10cm)
Pile Thickness	.082" (2.08 mm)
Total Thickness	0.189" (4.8 mm)
Density	6585
Installation	FlexLok
Installation Method	Quarter Turn, Monolithic, Vertical Ashlar, Brick Ashlar, Multi-Directional
Recommended Adhesive	Enpress, M700 Plus, FlexLok+ Tabs, Total Bond




## Recommended Installation Methods




Quarter Turn




Monolithic



Vertical Ashlar



Brick Ashlar



Multi-Directional

## Colorways



### Navy Gray

Color code: 593  
Style number: BT436



### Light Elm

Color code: 929  
Style number: BT436



### Steel

Color code: 937  
Style number: BT436



### Brown Oak

Color code: 948  
Style number: BT436



### Pencil Lead

Color code: 979  
Style number: BT436



### Charcoal

Color code: 989  
Style number: BT436

## Testing

Feature	Description
TARR Rating	Heavy
Flammability	(ASTM E648) Class 1 - Glue Down
Static Propensity	(AATC 134) Under 3.5 KV
Smoke Density	(ASTM E662) Less than 450

## Sustainability

Feature	Description
Embodied Carbon	6.93 kg CO2e/sq m2
Carbon Handprint	-7.28 kg CO2e/sq m2
Beyond Carbon Neutral	-0.35
Total Recycled Content	45%
Pre-Consumer Recycled Content	45%
EPD	EcoFlex Matrix EPD
HPD	EcoFlex Matrix HPD
Material Health	Declare Red List Free
NSF 140	<a href="#">EcoFlex Matrix - NSF 140 Gold</a>
LEED	<a href="#">Calculate LEED on Ecomedes</a>
Indoor Air Quality	GLP 1171
Mindful Materials	Participates
MindClick Rating	Achiever
End of Life	ReCover
Country Of Origin	USA

## Packaging

Feature	Description
Square Yards Per Carton	10.67
Cartons Per Pallet	22
Weight Per Carton	37.44

# Warranties

---

Lifetime Limited Carpet Tile Warranty, Lifetime Limited Colorfastness to Light, 10 Year Limited Colorfastness to Atmospheric Contaminants, 10 Year Limited Stain Warranty, Lifetime Static