


# Graphic Touch

## Overview

Feature	Description
Collection	High Concepts
Style	Graphic Touch (BC452)
Product Type	Broadloom
Size	12Ft 00In
Pattern Repeat	0.6"L X 0.8"W
Construction	Tufted
Surface Appearance	Textured Patterned Loop
Fiber	EnviroStrand™ PET
Dye Method	Solution Dyed
Stain Release Technology	Permanent, Built into the Fiber
Soil Release Technology	EcoSentry Soil Protection
Backing	Weldlok®
Pile Weight	18.00 oz/yd2 (610 g/m2)
Gauge	1/10 (39.37 rows per 10 cm)
Stitches per Inch	11.33 (44.62 per 10cm)
Pile Thickness	0.218" (5.55 mm)
Total Thickness	0.303" (7.7 mm)
Density	4468
Installation	Glue Down, Double Stick, Tackless
Installation Method	Side Match
Recommended Adhesive	NuBroadlok Premium Plus, NuBroadlok VRT, NuBroadlok Edge Sealer, NuBroadlok Moisture Proof Latex Seam Sealer



## Colorways



### Perfect Results

Color code: 383  
Style number: BC452



### Take Action

Color code: 599  
Style number: BC452



### Radiate Wisdom

Color code: 788  
Style number: BC452



### Progressive Way

Color code: 889  
Style number: BC452



### Quiet Factor

Color code: 949  
Style number: BC452



### Starting New

Color code: 997  
Style number: BC452



### Special Task

Color code: 999  
Style number: BC452

## Testing

Feature	Description
TARR Rating	Moderate
GSA Stain Release	Pass
Flammability	(ASTM E648) Class 1 - Glue Down
Static Propensity	(AATC 134) Under 3.5 KV
Smoke Density	(ASTM E662) Less than 450

## Sustainability

Feature	Description
Embodied Carbon	17.5 kg CO2e/sq m2
Carbon Handprint	-18.375 kg CO2e/sq m2
Beyond Carbon Neutral	-0.875
Total Recycled Content	27%
Pre-Consumer Recycled Content	27%
EPD	Weldlok EPD
HPD	Weldlok HPD
Material Health	Declare Red List Free
NSF 140	<a href="#">Weldlok - NSF 140 Gold</a>
LEED	<a href="#">Calculate LEED on Ecomedes</a>
Indoor Air Quality	GLP 0350
Mindful Materials	Participates
MindClick Rating	Leader
End of Life	ReCover
Country Of Origin	USA

# Warranties

---

Lifetime Limited Wear Warranty, Lifetime Limited Colorfastness to Light, 10 Year Limited Colorfastness to Atmospheric Contaminants, 10 Year Limited Stain Warranty, Lifetime Static