


Infinite Impact

Overview

Feature	Description
Collection	Infinite Impact
Style	Infinite Impact (BT499)
Product Type	Carpet Tile
Size	12" X 36"
Construction	Tufted
Surface Appearance	Textured Patterned Loop
Fiber	EnviroStrand™ PET
Dye Method	Solution Dyed
Stain Release Technology	Permanent, Built into Fiber
Soil Release Technology	EcoSentry Soil Protection
Backing	EcoFlex Matrix
Pile Weight	18.00 oz/yd2 (610 g/m2)
Gauge	1/12 (47.00 rows per 10 cm)
Stitches per Inch	11 (43.31 per 10cm)
Pile Thickness	.091" (2.31 mm)
Total Thickness	0.223" (5.66 mm)
Density	7120
Installation	FlexLok
Installation Method	Monolithic, Half Lap, Brick Ashlar, Basket
	Weave, Plank Half Lap, Monolithic
	Stepping, Random, Herringbone
Recommended Adhesive	Enpress, M700 Plus, FlexLok+ Tabs, Total
	Bond



Recommended Installation Methods















Mohawk Group

Colorways



Blue Sapphire

Color code: 559 BT499 Style number:



Camel Flax

Color code: 828 BT499 Style number:



Neutral MIX

Color code: 888 BT499 Style number:



Blacken Onyx

Color code: Style number: BT499



Polished Pewter

Color code: 949 Style number: BT499



Wrought Iron

Color code: Style number: BT499

Testing

Feature	Description
TARR Rating	Heavy
GSA Stain Release	Pass
Flammability	(ASTM E648) Class 1 - Glue Down
Static Propensity	(AATC 134) Under 3.5 KV
Smoke Density	(ASTM E662) Less than 450

Sustainability

Feature	Description
Embodied Carbon	7.71 kg CO2e/sq m2
Carbon Handprint	-8.10 kg CO2e/sq m2
Beyond Carbon Neutral	-0.39
Total Recycled Content	45%
Pre-Consumer Recycled Content	45%
EPD	EcoFlex Matrix EPD
HPD	EcoFlex Matrix HPD
Material Health	Declare Red List Free
NSF 140	EcoFlex Matrix - NSF 140 Gold
LEED	
LLLD	Calculate LEED on Ecomedes
Indoor Air Quality	Calculate LEED on Ecomedes GLP 100055
Indoor Air Quality	GLP 100055
Indoor Air Quality Mindful Materials	GLP 100055 Participates
Indoor Air Quality Mindful Materials MindClick Rating	GLP 100055 Participates Achiever
















Packaging

Feature	Description
Square Yards Per Carton	8.00
Cartons Per Pallet	44
Weight Per Carton	29.52

Warranties

10 Year Limited Wear Warranty, 10 Year Limited Static Protection Warranty, 10 Year Stain Resistance Warranty, 10 Year Limited Colorfastness to Light, 10 Year Limited Colorfastness to Atmospheric Contaminants







