


Linear Effect

Overview


Feature	Description
Collection	Emerging Directions
Style	Linear Effect (BT589)
Product Type	Carpet Tile
Size	24" X 24"
Construction	Tufted
Surface Appearance	Textured Patterned Loop
Fiber	ColorStrand® Nylon
Dye Method	Solution Dyed
Stain Release Technology	EcoSentry Plus Stain Protection
Soil Release Technology	EcoSentry Soil Protection
Backing	EcoFlex AIR
Pile Weight	17.00 oz/yd ² (576 g/m ²)
Gauge	1/12 (47.00 rows per 10 cm)
Stitches per Inch	13.6 (53.54 per 10cm)
Total Thickness	0.304" (7.72 mm)
Density	5057
Installation	FlexLok
Installation Method	Brick Ashlar, Monolithic, Quarter Turn, Vertical Ashlar
Recommended Adhesive	Enpress, M700 Plus, FlexLok+ Tabs, Total Bond




Recommended Installation Methods



Brick Ashlar



Quarter Turn



Vertical Ashlar

Colorways



Georgian Brick

Color code: 257
Style number: BT589



Stonehedge

Color code: 527
Style number: BT589



Lagoon

Color code: 547
Style number: BT589



Harmony

Color code: 557
Style number: BT589



Inky Blue

Color code: 565
Style number: BT589



Olive Grove

Color code: 657
Style number: BT589

Colorways



Porcini

Color code: 737
Style number: BT589



Fieldstone

Color code: 775
Style number: BT589



Shadow Grey

Color code: 868
Style number: BT589



Ebony Slate

Color code: 989
Style number: BT589

Testing

Feature	Description
TARR Rating	Heavy
Flammability	(ASTM E648) Class 1 - Glue Down
Static Propensity	(AATC 134) Under 3.5 KV
Smoke Density	(ASTM E662) Less than 450

Sustainability

Feature	Description
Embodied Carbon	8.05 kg CO2e/sq m2
Carbon Handprint	-8.45 kg CO2e/sq m2
Beyond Carbon Neutral	-0.4
Pre-Consumer Recycled Content	44%
Post-Consumer Recycled Content	10%
EPD	0
HPD	EcoFlex AIR HPD
Material Health	Declare Red List Free
NSF 140	EcoFlex AIR - NSF 140 Gold
LEED	Calculate LEED on Ecomedes
Indoor Air Quality	GLP 1171
Mindful Materials	Participates
MindClick Rating	Achiever
End of Life	ReCover
Country Of Origin	USA

Packaging

Feature	Description
Square Yards Per Carton	8.00
Cartons Per Pallet	22
Weight Per Carton	43.2

Warranties

Lifetime Limited Carpet Tile Warranty, Lifetime Limited Colorfastness to Light, 10 Year Limited Colorfastness to Atmospheric Contaminants, 10 Year Limited Stain Warranty, Lifetime Static