










Mindful 26

Overview










Feature	Description
Collection	Mindful
Style	Mindful 26 (BC396)
Product Type	Broadloom
Size	12Ft 00In
Pattern Repeat	NONE
Minimum Sq Yard	No minimum, some colors available in 15' width
Construction	Tufted
Surface Appearance	Level Loop
Fiber	EnviroStrand™ PET
Dye Method	Solution Dyed
Stain Release Technology	Permanent, Built into the Fiber
Soil Release Technology	EcoSentry Soil Protection
Backing	Weldlok®
Pile Weight	24.50 oz/yd2 (831 g/m2)
Gauge	1/10 (39.37 rows per 10 cm)
Stitches per Inch	13.33 (52.49 per 10cm)
Pile Thickness	0.218" (5.55 mm)
Total Thickness	0.343" (8.71 mm)
Density	5305
Installation	Glue Down, Double Stick, Tackless
Installation Method	Side Match
Recommended Adhesive	NuBroadlok Premium Plus, NuBroadlok VRT, NuBroadlok Edge Sealer, NuBroadlok Moisture Proof Latex Seam Sealer



Colorways

 <p>Garnet</p> <p>Color code: 385 Style number: BC396</p>	 <p>Navy</p> <p>Color code: 599 Style number: BC396</p>	 <p>Greenery</p> <p>Color code: 678 Style number: BC396</p>
 <p>Aqua</p> <p>Color code: 685 Style number: BC396</p>	 <p>Wheat</p> <p>Color code: 758 Style number: BC396</p>	 <p>Stoney</p> <p>Color code: 788 Style number: BC396</p>
 <p>Iron</p> <p>Color code: 969 Style number: BC396</p>	 <p>Twilight</p> <p>Color code: 997 Style number: BC396</p>	 <p>Clay</p> <p>Color code: 383 Style number: BC396</p>

Colorways

 <p>Cobalt</p> <p>Color code: 589 Style number: BC396</p>	 <p>Praline</p> <p>Color code: 748 Style number: BC396</p>	 <p>Chestnut</p> <p>Color code: 852 Style number: BC396</p>
 <p>Hickory</p> <p>Color code: 869 Style number: BC396</p>	 <p>Walnut</p> <p>Color code: 889 Style number: BC396</p>	 <p>Pewter</p> <p>Color code: 949 Style number: BC396</p>
 <p>Nickel</p> <p>Color code: 959 Style number: BC396</p>	 <p>Charcoal</p> <p>Color code: 979 Style number: BC396</p>	 <p>Onyx</p> <p>Color code: 999 Style number: BC396</p>

Testing

Feature	Description
TARR Rating	Moderate
GSA Stain Release	Pass
Flammability	(ASTM E648) Class 1 - Glue Down
Static Propensity	(AATC 134) Under 3.5 KV
Smoke Density	(ASTM E662) Less than 450

Sustainability

Feature	Description
Embodied Carbon	17.5 kg CO2e/sq m2
Carbon Handprint	-18.375 kg CO2e/sq m2
Beyond Carbon Neutral	-0.875
Total Recycled Content	27%
Pre-Consumer Recycled Content	27%
EPD	Weldlok EPD
HPD	Weldlok HPD
Material Health	Declare Red List Free
NSF 140	Weldlok - NSF 140 Gold
LEED	Calculate LEED on Ecomedes
Indoor Air Quality	GLP 0350
Mindful Materials	Participates
MindClick Rating	Leader
End of Life	ReCover
Country Of Origin	USA

Warranties

10 Year Limited Wear Warranty, 10 Year Limited Static Protection Warranty, 10 Year Stain Resistance Warranty, 10 Year Limited Colorfastness to Light, 10 Year Limited Colorfastness to Atmospheric Contaminants