

Must Have

Overview

Feature	Description
Collection	Of The Moment
Style	Must Have (BC287)
Product Type	Broadloom
Size	12Ft 00In
Pattern Repeat	0.8"W X 1.55"L
Construction	Tufted
Surface Appearance	Textured Heathered Loop
Fiber	ColorStrand® Nylon
Dye Method	Solution Dyed
Stain Release Technology	EcoSentry Plus Stain Protection
Soil Release Technology	EcoSentry Soil Protection
Backing	Weldlok®
Pile Weight	21.00 oz/yd ² (712 g/m ²)
Gauge	1/12 (47.00 rows per 10 cm)
Stitches per Inch	9 (35.43 per 10cm)
Pile Thickness	.118" (3.00 mm)
Total Thickness	0.306" (7.77 mm)
Density	6406
Installation	Glue Down, Double Stick, Tackless
Installation Method	Side Match
Recommended Adhesive	NuBroadlok Premium Plus, NuBroadlok VRT, NuBroadlok Edge Sealer, NuBroadlok Moisture Proof Latex Seam Sealer



Colorways



Forward Bound

Color code: 7559
Style number: BC287



Jump Start

Color code: 7679
Style number: BC287



Self Expressions

Color code: 7714
Style number: BC287



Suit Yourself

Color code: 7822
Style number: BC287



Anything Goes

Color code: 7828
Style number: BC287



Go Forth

Color code: 7837
Style number: BC287



Artfully Done

Color code: 7838
Style number: BC287



Smart Choice

Color code: 7928
Style number: BC287



Style Shaper

Color code: 7958
Style number: BC287

Colorways



Defining Moment

Color code: 7959
Style number: BC287



Checking In

Color code: 7978
Style number: BC287

Testing

Feature	Description
TARR Rating	Heavy
Flammability	(ASTM E648) Class 1 - Glue Down
Static Propensity	(AATC 134) Under 3.5 KV
Smoke Density	(ASTM E662) Less than 450

Sustainability

Feature	Description
Embodied Carbon	17.5 kg CO2e/sq m2
Carbon Handprint	-18.375 kg CO2e/sq m2
Beyond Carbon Neutral	-0.875
Total Recycled Content	27%
Pre-Consumer Recycled Content	27%
EPD	Weldlok EPD
HPD	Weldlok HPD
Material Health	Declare Red List Free
NSF 140	Weldlok - NSF 140 Gold
LEED	Calculate LEED on Ecomedes
Indoor Air Quality	GLP 8216
Mindful Materials	Participates
MindClick Rating	Leader
End of Life	ReCover
Country Of Origin	USA

Warranties

Lifetime Limited Wear Warranty, Lifetime Limited Colorfastness to Light, 10 Year Limited Colorfastness to Atmospheric Contaminants, 10 Year Limited Stain Warranty, Lifetime Static