

Tactile Infusion

Overview


Feature	Description
Collection	Textural Effects
Style	Tactile Infusion (GT422)
Product Type	Carpet Tile
Size	12" X 36"
Construction	Tufted
Surface Appearance	Textured Patterned Loop
Fiber	Duracolor® Tricor Premium Nylon
Dye Method	Solution Dyed
Stain Release Technology	Permanent, Built into Fiber
Soil Release Technology	EcoSentry Soil Protection
Backing	EcoFlex ONE
Pile Weight	20.00 oz/yd ² (678 g/m ²)
Gauge	1/12 (47.00 rows per 10 cm)
Stitches per Inch	12.1 (47.64 per 10cm)
Total Thickness	0.298" (7.57 mm)
Density	4390
Installation	Glue Down, FlexLok
Installation Method	Half Lap, Plank Half Lap, Herringbone
Recommended Adhesive	Enpress, M700 Plus, FlexLok+ Tabs, Total Bond




Recommended Installation Methods



Half Lap



Plank Half Lap



Herringbone

Colorways



Larimar

Color code: 549
Style number: GT422



Sodalite

Color code: 577
Style number: GT422



Olivine

Color code: 667
Style number: GT422



Aventurine

Color code: 679
Style number: GT422



Diorite

Color code: 739
Style number: GT422



Bronzite

Color code: 869
Style number: GT422

Colorways



Granite

Color code: 967
Style number: GT422



Concrete

Color code: 968
Style number: GT422



Charcoal

Color code: 989
Style number: GT422

Testing

Feature	Description
TARR Rating	Heavy
GSA Stain Release	Pass
Flammability	(ASTM E648) Class 1 - Glue Down
Static Propensity	(AATC 134) Under 3.5 KV
Smoke Density	(ASTM E662) Less than 450

Sustainability

Feature	Description
Embodied Carbon	5.31 kg CO2e/sq m2
Carbon Handprint	-5.58 kg CO2e/sq m2
Beyond Carbon Neutral	-0.27
Total Recycled Content	74%
Pre-Consumer Recycled Content	64%
Post-Consumer Recycled Content	10%
EPD	EcoFlex ONE EPD
HPD	EcoFlex ONE HPD
Material Health	Declare Red List Free
NSF 140	EcoFlex ONE - NSF 140 Platinum
LEED	Calculate LEED on Ecomedes
Indoor Air Quality	GLP 1171
Specify for a Cure	Eligible
Mindful Materials	Participates
MindClick Rating	Achiever
End of Life	ReCover
Country Of Origin	USA

Packaging

Feature	Description
Square Yards Per Carton	4.67
Cartons Per Pallet	44
Weight Per Carton	26.32

Warranties

Lifetime Limited Carpet Tile Warranty, Lifetime Limited Duracolor Stain Warranty, Lifetime Static