Mohawk Group

TEXTURAL EFFECTS

Tactile Infusion GT422

12 in x 36 in Carpet Tile




Collection	Textural Effects
Style	Tactile Infusion (GT422)
Product Type	Carpet Tile
Size	12 in x 36 in
Construction	Tufted
Surface Appearance	Textured Patterned Loop
Fiber	Duracolor® Tricor Premium Nylon
Dye Method	Solution Dyed
Stain Release Technology	Permanent Built into Fiber
Soil Release Technology	EcoSentry Soil Protection
Backing	Ecoflex One
Tufted Pile Weight	20 oz/yd2 (678 g/m2)
Gauge	1/12 (47.00 rows per 10 cm)
Stitches per Inch	12.1 (47.6 per 10cm)
Density	4390
Installation	Glue Down, FlexLok
Recommended Adhesive	Enpress, M700 Plus, FlexLok+ Tabs, Total Bond


Recommended Installation Methods



Half Lap




Herringbone



Plank Half Lap


Colorways




Larimar
Color: 549



Sodalite
Color: 577



Olivine
Color: 667



Aventurine
Color: 679



Diorite
Color: 739



Bronzite
Color: 869

Mohawk Group




Granite

Color: 967



Concrete

Color: 968



Charcoal

Color: 989

Testing

TARR Rating	Heavy
GSA Stain Release	Pass
Flammability	(ASTM E648) Class 1 - Glue Down
Static Propensity	(AATC 134) Under 3.5 KV
Smoke Density	(ASTM E662) Less than 450

Sustainability

Embodied Carbon	5.31 kg CO2e/m2
Carbon Handprint	-5.58 kg CO2e/m2
Beyond Carbon Neutral	-0.27 kg CO2e/m2
Total Recycled Content	72.75%
Pre-Consumer Recycled Content	63.56%
Post-Consumer Recycled Content	9.19%
EPD	EcoFlex ONE EPD
HPD	EcoFlex ONE HPD
Material Health	Declare Red List Free
NSF 140	EcoFlex ONE - NSF 140 Platinum
LEED	Calculate LEED on Ecomedes
Specify for a Cure	Eligible
Mindful Materials	Participates
MindClick Rating	Achiever
End of Life	ReCover
Country Of Origin	USA

Packaging

Square Yards Per Carton	4.67
Pieces Per Carton	14
Cartons Per Pallet	44

Warranties

Lifetime Limited Carpet Tile Warranty

Lifetime Limited Duracolor Stain Warranty